CONTENTS

Preface ix

III–V COMPOUNDS

SECTION I. SOURCE MATERIALS

Crystal growth of GaAs and AlGaAs by OMVPE using triethylarsenic as arsenic source
Sz. Fujita, M. Imaizumi, S. Araki, Y. Takeda and A. Sasaki 1
The use of organic As precursors in the low pressure MOCVD of GaAs
A. Brauers, O. Kayser, R. Kall, H. Heinecke, P. Balk and H. Hofmann 7
GaAs growth using tertiarybutylarsine and trimethylgallium
C.A. Larsen, N.I. Buchan, S.H. Li and G.B. Stringfellow 15
Gas phase and surface reactions in the MOCVD of GaAs from triethylgallium, trimethylgallium, and tertiarybutylarsine
T.R. Omstead, P.M. Van Sickle, P.W. Lee and K.F. Jensen 20
Triethylarsenic and arsine as co-reagents: the novel manipulation of in-situ GaAs OMCVD growth chemistry to improve growth efficiency and safety
D.M. Speckman and J.P. Wendt 29
Comparison of ethyldimethylindium (EDMIn) and trimethylindium (TMIn) for GaInAs and InP growth by LP-MOVPE
J. Knauf, D. Schmitz, G. Strauch, H. Jürgensen, M. Heyen and A. Melas 34
A novel organo-lithium based production method for trimethylindium
F.W. Reier, P. Wolfram and H. Schumann 41
Me_3In preparation and zone refining of adducts for high quality InP and GaInAs MOVPE
G. Laube, U. Kohler, J. Weidlein, F. Scholz, K. Streubel, R.J. Dieter, N. Karl and M. Gerdon 45
Less hazardous MOCVD growth of InP using solid red-phosphorus and H_2 plasma
M. Naitoh, T. Soga, T. Jimbo and M. Umeno 52

SECTION II. ANTIMONIDES AND NITRIDES

Growth of GaSb by MOVPE; optimization of electrical quality with respect to growth rate, pressure, temperature and III/V ratio
S.H. Haywood, N.J. Mason and P.J. Walker 56
OMVPE growth of the new semiconductor alloys $GaP_{1-x}Sb_x$ and $InP_{1-x}Sb_x$
M.J. Jou, Y.T. Cherng, H.R. Jen and G.B. Stringfellow 62
GaSb heterostructures grown by MOVPE
E.T.R. Chidley, S.K. Haywood, R.E. Mallard, N.J. Mason, R.J. Nicholas, P.J. Walker and R.J. Warburton 70
Zn related electroluminescent properties in MOVPE grown GaN
H. Amano, K. Hiramatsu, M. Kito, N. Sawaki and I. Akasaki 79

SECTION III. GROWTH CONDITIONS AND LAYER CHARACTERISTICS

MOVPE of $Al_xGa_{1-x}As$ alloys above 850 °C
P. Basmaji, A. Leycuras, J. Leymarie, P. Gibart, D. Gauthier, J.C. Portal and B. Gil 83
Effects of growth parameters on layer properties for InP and related alloys grownby MOCVD
K. Eguchi, Y. Ohba, M. Kushibe, M. Funamizu and T. Nakanisi 88
Raman scattering of $(Al_xGa_{1-x})_{0.5}In_{0.5}P$ quaternary alloys grown by MOVPE
M. Kubo, M. Mannoh, Y. Takahashi and M. Ogura 93

SECTION IV. REACTION KINETICS AND GROWTH MECHANISMS

Growth kinetic study in GaAs molecular layer epitaxy in TMG/AsH_3 system
J. Nishizawa and T. Kurabayashi 98
Elementary processes and rate-limiting factors in MOVPE of GaAs
M. Tirtowidjojo and R. Pollard 108
Kinetic simulation of gas phase reactions in MOVPE growth
H. Tanaka and J. Komeno 115
^{13}C isotopic labeling studies of growth mechanisms in the metalorganic vapor phase epitaxy of GaAs
R.M. Lum, J.K. Klingert, D.W. Kisker, S.M. Abys and F.A. Stevie 120
IR diode laser probing of OMVPE kinetics
D.K. Gaskill, V. Kolubayev, N. Bottka, R.S. Sillmon and J.E. Butler 127
In situ mass spectroscopy studies of the decomposition of organometallic arsenic compounds in the presence of $Ga(CH_3)_3$ and $Ga(C_2H_5)_3$
P.W. Lee, T.R. Omstead, D.R. McKenna and K.F. Jensen 134
UV excimer laser photochemistry of gaseous and surface adsorbed organometallics
Y. Zhang and M. Stuke 143
CARS in situ diagnostics in MOVPE: the thermal decomposition of AsH_3 and PH_3
R. Lückerath, P. Tommack, A. Hertling, H.J. Koss, P. Balk, K.F. Jensen and W. Richter 151
Raman investigations on AsH_3 decomposition in MOVPE
Y. Monteil, R. Favre, P. Raffin, J. Bouix, M. Vaille and P. Gibart 159
Ultraviolet absorption spectra of metalorganic molecules diluted in hydrogen gas
H. Itoh, M. Watanabe, S. Mukai and H. Yajima 165
Study of nucleation and growth of clusters on nominal and vicinal (100)GaAs by metalorganic vapor phase epitaxy
K. Matsumoto, J. Hikada and R. Tsunoda 170
Immiscible growth of $In_{1-x}Ga_xP$ in low-vacuum MOVPE
K. Ozasa, M. Yuri, S. Nishino and H. Matsunami 177

SECTION V. ATOMIC LAYER EPITAXY

Recent progress in atomic layer epitaxy of III–V compounds
S.M. Bedair, B.T. McDermott, Y. Ide, N.H. Karam, H. Hashemi, M.A. Tischler, M. Timmons, J.C.L. Tarn and N. El-Masry 182
Surface processes in laser-atomic layer epitaxy (laser-ALE) of GaAs
T. Meguro, T. Suzuki, K. Ozaki, Y. Okano, A. Hirata, Y. Yamamoto, S. Iwai, Y. Aoyagi and S. Namba 190
Atomic layer epitaxy for the growth of heterostructure devices
S.P. DenBaars, P.D. Dapkus, C.A. Beyler, A. Hariz and K.M. Dzurko 195

SECTION VI. NEW GROWTH METHODS AND TECHNIQUES

The pulse reactor – a high-efficiency, high-precision low-pressure MOCVD machine
J. van Suchtelen, J.E.M. Hogenkamp, W.G.J.H.M. van Sark and L.J. Giling 201
A new versatile, large size MOVPE reactor
P.M. Frijlink 207
A novel MOVPE reactor with a rotating substrate
E. Woelk and H. Beneking 216
A parametric investigation of GaAs epitaxial growth uniformity in a high speed, rotating-disk MOCVD reactor
G.S. Tompa, M.A. McKee, C. Beckham, P.A. Zawadzki, J.M. Colabella, P.D. Reinert, K. Capuder, R.A. Stall and P.E. Norris 220
Growth characteristics of a vertical rotating-disk OMVPE reactor
C.A. Wang, S. Patnaik, J.W. Caunt and R.A. Brown 228
Extremely uniform, reproducible growth of device quality InGaAsP:InP heterostructures in the T-shaped reactor at atmospheric pressure
A. Mircea, A. Ougazzaden, P. Dasté, Y. Gao, C. Kazmierski, J.-C. Bouley and A. Carenco 235
New reactor design for growth of InP and related alloys
S.H. Groves, S.C. Palmateer, J.W. Caunt and D.L. Hovey 242

Planar selective growth of InP by MOVPE
K. Nakai, T. Sanada and S. Yamakoshi 248
Low temperature selective epitaxy of III–V compounds by laser assisted chemical vapor deposition
N.H. Karam, H. Liu, I. Yoshida, B.-L. Jiang and S.M. Bedair 254
Investigations of photo-association mechanism for growth rate enhancement in photo-assisted OMVPE of ZnSe and ZnS
Sz. Fujita, A. Tanabe, T. Sakamoto, M. Isemura and Sg. Fujita 259
Effects of hydrogen on growth mechanism of GaAs in chemical beam epitaxy
K. Nagata, Y. Iimura, Y. Aoyagi, S. Namba, S. Den and A. Moritani 265

SECTION VII. GAS FLOW AND GROWTH SYSTEMS

Raman spectroscopy and flow visualization studies of MOVPE reactors
Y. Monteil, R. Favre, A. Bekkaoui, P. Raffin, J. Bouix, J. Marcillat and P. Dutto 270
Safety aspects of MOVPE in research and development: an example
L.M.F. Kaufmann, M. Heuken, R. Tilders, K. Heime, H. Jürgensen and M. Heyen 279
Controlled uniform growth of GaInAsP/InP structures for laser application on 2 inch wafers by LP-MOVPE at 20 mbar
R. Meyer, D. Grützmacher, H. Jürgensen and P. Balk 285
Uniform (Al)GaAs crystal growth and microwave HIFETs grown by barrel-reactor MOCVD
F. Nakamura and H. Kawai 292

SECTION VIII. QUANTUM STRUCTURES

Growth and characterization of InAs/GaAs monolayer structures
T. Fukui 301
Characterization of MOVPE-grown AlGaAs/GaAs single quantum wells by intersubband infrared absorption
J.Y. Andersson and U. Westergren 307
Large area growth of extremely uniform AlGaAs/GaAs quantum well structures for laser applications by effective LP-MOVPE
D. Schmitz, G. Strauch, J. Knauf, H. Jürgensen, M. Heyen and K. Wolter 312
Exact determination of superlattice structure by small-angle X-ray diffraction
M. Sugawara, M. Kondo, S. Yamazaki and K. Nakajima 318
The pressure dependence of the band offsets in a GaInAs/InP multiple quantum well structure
J.D. Lambkin, D.J. Dunstan, E.P. O'Reilly and B.R. Butler 323
Growth of AlInAs and heterostructures on InP by OMVPE
H. Kamei, K. Hashizume, M. Murata, N. Kuwata, K. Ono and K. Yoshida 329
Thermally induced In/Ga interdiffusion in $In_xGa_{1-x}As$/GaAs strained single quantum well grown by LPMOVPE
F. Iikawa, P. Motisuke, J.A. Brum, M.A. Sacilotti, A.P. Roth and R.A. Masut 336
Growth of GaAs, InAs, and GaAs/InAs superlattice structures at low substrate temperature by MOVPE
H. Ohno, S. Ohtsuka, A. Ohuchi, T. Matsubara and H. Hasegawa 342
Influence of different growth techniques on the quality of GaInAs–InP quantum well structures grown by adduct-MOVPE
K. Streubel, F. Scholz, G. Laube, R.J. Dieter, E. Zielinski and K. Keppler 347
OMVPE conditions for GaInAs/InP heterointerfaces and superlattices
Y. Miyamoto, K. Uesaka, M. Takadou, K. Furuya and Y. Suematsu 353
Interface roughness and charge carrier recombination lifetimes in GaInAs/InP quantum wells grown by LP-MOVPE
M. Engel, R.K. Bauer, D. Bimberg, D. Grützmacher and H. Jürgensen 359
Fabrication technique for GaInAsP/InP quantum wire structure by LP-MOVPE
P. Dasté, Y. Miyake, M. Cao, Y. Miyamoto, S. Arai, Y. Suematsu and K. Furuya 365
Sharp interfaces in GaInAsP/InP single quantum wells grown by MOVPE
M. Irikawa, I.J. Murgatroyd, T. Ijichi, N. Matsumoto, A. Nakai and S. Kashiwa 370
High-quality InGaAsP/InP single-quantum wells and superlattice structures grown by low-pressure metalorganic vapor phase epitaxy
M. Kondo, S. Yamazaki, M. Sugawara, H. Okuda, K. Kato and K. Nakajima 376
LP-MOCVD growth and characterization of undoped and modulation doped GaInAsP/InP and GaInAs/InP multi quantum wells
D. Grützmacher, R. Meyer, M. Zachau, P. Helgesen, A. Zrenner, K. Wolter, H. Jürgensen, F. Koch and P. Balk 382

Stimulated emission in $In_{0.5}(Al_xGa_{1-x})_{0.5}P$ quantum well heterostructures
C.P. Kuo, R.M. Fletcher, T.D. Osentowski, M.G. Craford, D.W. Nam, N. Holonyak, Jr., K.C. Hsieh and J.E. Fouquet 389

SECTION IX. SPONTANEOUSLY ORDERED STRUCTURES

Strong ordering in GaInP alloy semiconductors; formation mechanism for the ordered phase
T. Suzuki, A. Gomyo and S. Iijima 396
Growth temperature dependent atomic arrangements and their role on band-gap of InGaAlP alloys grown by MOCVD
C. Nozaki, Y. Ohba, H. Sugawara, S. Yasuami and T. Nakanisi 406
Crystalline and electronic energy structure of OMVPE-grown AlGaInP/GaAs
M. Kondow, H. Kakibayashi, S. Minagawa, Y. Inoue, T. Nishino and Y. Hamakawa 412
Transmission electron microscopic observation of InGaP crystals grown on (001)GaAs substrates by metalorganic chemical vapor deposition
O. Ueda, M. Takikawa, M. Takechi, J. Komeno and I. Umebu 418
Disordering of the ordered structure in MOCVD-grown GaInP and AlGaInP by impurity diffusion and thermal annealing
P. Gavrilovic, F.P. Dabkowski, K. Meehan, J.E. Williams, W. Stutius, K.C. Hsieh, N. Holonyak, Jr., M.A. Shahid and S. Mahajan 426

SECTION X. GROWTH ON MISMATCHED SUBSTRATES AND STRAINED LAYERS

The growth of AlGaAs–GaAs lasers on Si substrates by metalorganic chemical vapor deposition
R.D. Dupuis and C.J. Pinzone 434
Initial stage of MOCVD growth of GaAs on Si
S. Onozawa, T. Ueda and M. Akiyama 443
Dislocation interactions in strained-layer structures grown on GaAs and Si substrates
N. Hamaguchi, T.P. Humphreys, D.J. Moore, C.A. Parker, S.M. Bedair, J.C.L. Tarn, B.-L. Jiang, N. El-Masry, Z.J. Radzimski and G.A. Rozgonyi 449
Structural properties of GaAs-on-Si with InGaAs/GaAs strained-layer superlattice
Y. Watanabe, Y. Kadota, H. Okamoto, M. Seki and Y. Ohmachi 459
The effects of strain on the growth of lattice mismatched superlattices
K.J. Monserrat, J.N. Tothill, J. Haigh, R.H. Moss, C.S. Baxter and W.M. Stobbs 466
Dislocation-density studies in MOCVD GaAs on Si substrates
M. Shimizu, M. Enatsu, M. Furukawa, T. Mizuki and T. Sakurai 475
Photoreflectance characterization of OMVPE GaAs on Si
N. Bottka, D.K. Gaskill, R.J.M. Griffiths, R.R. Bradley, T.B. Joyce, C. Ito and D. McIntyre 481
Influence of MOVPE growth parameters on the structural and optical properties of GaAs on Si(100)
A. Freundlich, J.C. Grenet, G. Neu, A. Leycuras, C. Vèrié, P. Gibart, G. Landa and R. Carles 487
Effectiveness of AlGaAs/GaAs superlattices in reducing dislocation density in GaAs on Si
N. Hayafuji, S. Ochi, M. Miyashita, M. Tsugami, T. Murotani and A. Kawagishi 494
MOCVD growth and characterization of GaAs and GaP grown on Si substrates
T. Soga, Y. Kohama, K. Uchida, M. Tajima, T. Jimbo and M. Umeno 499
Growth and characterization of strained layers of $GaAs_xP_{1-x}$
M.R. Leys, H. Titze, L. Samuelson and J. Petruzzello 504
Characterization of mismatched InAs–GaAs heterostructures grown by metalorganic chemical vapor deposition
P.K. York, C.J. Kiely, G.E. Fernández, J.N. Baillargeon and J.J. Coleman 512
Heteroepitaxy of InGaAs on GaAs substrate with InAlAs intermediate layer
T. Ueda, S. Onozawa, M. Akiyama and M. Sakuta 517
Hetero-epitaxial growth of InP on Si substrates by LP-MOVPE
H. Horikawa, Y. Kawai, M. Akiyama and M. Sakuta 523
Epitaxial growth of InP on Si by OMVPE – defect reduction in epitaxial InP using $InAs_xP_{1-x}$/InP superlattices
A. Seki, F. Konushi, J. Kudo and M. Koba 527
Direct MOVPE growth of InP on GaAs substrates
A. Yoshikawa, T. Sugino, A. Nakamura, G. Kano and I. Teramoto 532
Growth and characterization of InP/GaAs epilayers on Si substrates by low-pressure metalorganic vapor phase epitaxy
M.K. Lee, K.C. Huang, D.S. Wuu, H.H. Tung and K.Y. Yu 539

SECTION XI. IMPURITY INCORPORATION

Residual impurities in epitaxial layers grown by MOVPE
M. Hata, N. Fukuhara, Y. Zempo, M. Isemura, T. Yako and T. Maeda 543
The influence of hydrocarbons in MOVPE GaAs growth: improved detection of carbon by secondary ion mass spectroscopy
T.F. Kuech, G.J. Scilla and F. Cardone 550
Carbon incorporation in GaAs layer grown by atomic layer epitaxy
K. Mochizuki, M. Ozeki, K. Kodama and N. Ohtsuka 557
Evidence for deep centers in n-InP grown by MOVPE
M. Benzaquen, D. Walsh, M. Beaudoin, K. Mazuruk and N. Puetz 562
Deep levels and minority carrier lifetime in MOVPE p-type GaAs
P.-J. Wang, T.F. Kuech, M.A. Tischler, P.M. Mooney, G.J. Scilla and F. Cardone 569
Semi-insulating cobalt doped indium phosphide grown by MOCVD
K.L. Hess, S.W. Zehr, W.H. Cheng, J. Pooladdej, K.D. Buehring and D.L. Wolf 576
Growth of erbium-doped GaAs and InP by metalorganic chemical vapor deposition using $Er(CH_3C_5H_4)_3$ and $Er(C_5H_5)_3$
K. Uwai, H. Nakagome and K. Takahei 583
Evaluation of some manganese feedstocks for MOCVD
G.I. Christiansz, T.J. Elms, G.N. Pain and R.R. Pierson 589
Gas phase and surface reactions in Si doping of GaAs by silanes
H.K. Moffat, T.F. Kuech, K.F. Jensen and P.-J. Wang 594
Systematic study on Si and Se doping of MOVPE GaAs
H. Sakaguchi, R. Suzuki and T. Meguro 602
Anomalous behaviour of dopants in atmospheric pressure MOVPE of InP
S. Cole, J.S. Evans, M.J. Harlow, A.W. Nelson and S. Wong 607
A study of p-type doping for AlGaInP grown by low-pressure MOCVD
Y. Ohba, Y. Nishikawa, C. Nozaki, H. Sugawara and T. Nakanisi 613
Low pressure MOVPE growth of Si-doped $Ga_{0.5}In_{0.5}P$ using Si_2H_6
H. Hotta, I. Hino and T. Suzuki 618

SECTION XII. IMPURITY REDISTRIBUTION AND PROFILES

The control and modeling of doping profiles and transients in MOVPE growth
T.F. Kuech, P.-J. Wang, M.A. Tischler, R. Potemski, G.J. Scilla and F. Cardone 624
The influence of growth conditions on the electrical properties of $GaAs/Al_{0.30}Ga_{0.70}As$ p^+/n heterojunctions
M.A. Tischler, H. Baratte, T.F. Kuech and P.-J. Wang 631
Secondary ion mass spectroscopy depth profiles of heterojunction bipolar transistor emitter–base heterojunctions grown by low pressure OMVPE
P.M. Enquist 637
Abrupt Mg doping profiles in GaAs grown by metalorganic vapor phase epitaxy
G. Landgren, M. Rask, S.G. Andersson and A. Lundberg 646
Silicon migration during MOVPE of AlGaAs/GaAs laser structure
E. Veuhoff, H. Baumeister and R. Treichler 650

II–VI COMPOUNDS AND RELATED MATERIALS

SECTION XIII. ZINC-BASED COMPOUNDS

Thermal stability of ZnSe epilayer grown by MOVPE
T. Yodo and K. Yamashita 656
Thermal stability of nearly lattice-matched ZnSSe/GaAs interface grown by MOVPE
T. Kanda, I. Suemune, K. Yamada, Y. Kan and M. Yamanishi 662
Fabrication and photoluminescence properties of ZnTe and CdZnTe films by low pressure metalorganic chemical-vapour deposition
M. Ekawa, Y. Kawakami, T. Taguchi and A. Hiraki 667

Selectively embedded epitaxial growth of ZnSe by low-pressure MOCVD using dimethylzinc and dimethylselenium
Y. Yamasaki, H. Komatsu, Y. Tsunekawa, T. Asaka, H. Iwano and H. Ohshima 673
Metalorganic molecular beam epitaxy of ZnSe films using dimethylzinc and hydrogen selenide
H. Oniyama, S. Yamaga, A. Yoshikawa and H. Kasai 679
The preparation of ZnS : Mn electroluminescent layers by MOCVD using new manganese sources
M. Migita, O. Kanehisa, M. Shiiki and H. Yamamoto 686
Nitrogen-doped p-type ZnSe films grown by MOVPE
A Ohki, N. Shibata, K. Ando and A. Katsui 692
Growth and properties of lithium-doped ZnSe films by atmospheric pressure metalorganic vapor phase epitaxy
A. Yoshikawa, S. Muto, S. Yamaga and H. Kasai 697
Iodine-doped low-resistivity n-type ZnSe films grown by MOVPE
N. Shibata, A. Ohki and A. Katsui 703
Low-loss MOVPE-grown ZnSe–ZnS superlattice optical waveguide
T. Yokogawa, T. Fujita, M. Ogura and T. Kajiwara 708
Effects of strain and temperature on excitonic emissions in ZnSe–ZnS strained-layer superlattices grown by low-pressure MOCVD
Y. Kawakami, T. Taguchi and A. Hiraki 714
Wide bandgap II–VI compound semiconductor superlattices grown by metalorganic molecular beam epitaxy
N. Teraguchi, Y. Takemura, R. Kimura, M. Konagai and K. Takahashi 720
Growth and characterisation of ZnTe and ZnTe–CdTe superlattices on GaAs substrates
P.A. Clifton, J.T. Mullins, P.D. Brown, G.J. Russell, A.W. Brinkman and J. Woods 726

SECTION XIV. CADMIUM-BASED COMPOUNDS

Recent developments in the pyrolytic and photolytic deposition of (Cd,Hg)Te and related II–VI materials
S.J.C. Irvine, J.B. Mullin, J. Giess, J.S. Gough, A. Royle and G. Crimes 732
Ultra-pure organotellurium precursors for the low temperature MOVPE growth of II/VI compound semiconductors
D.V. Shenai-Khatkhate, P. Webb, D.J. Cole-Hamilton, G.W. Blackmore and J.B. Mullin 744
Photo-assisted MOCVD of CdTe using an excimer laser
S. Fujii, Y. Fujita and T. Iuchi 750
Electrical properties and surface effects in MOVPE grown (Hg,Cd)Te
J.T. Mullins, P.A. Clifton, G.J. Russell, A.W. Brinkman and J. Woods 755
Domain structures of CdTe layers grown by MOCVD on offset-angle sapphire substrates
K. Maruyama, M. Yoshikawa and H. Takigawa 761

SECTION XV. SILICON CARBIDE AND CHALCOPYRITE COMPOUNDS

Inclined-epitaxy of β-SiC on Si(n11) substrates ($n = 3, 4, 5, 6$) by chemical vapor deposition
M. Shigeta, Y. Fujii, A. Ogura, K. Furukawa, A. Suzuki and S. Nakajima 766
MOVPE growth and characterization of I–III–VI_2 chalcopyrite compounds
K. Hara, T. Shinozawa, J. Yoshino and H. Kukimoto 771

DEVICES

SECTION XVI. OPTOELECTRONIC DEVICES

MOCVD challenge for III–V semiconductor materials for photonic and electronic devices on alternative substrates
M. Razeghi, M. Defour, F. Omnes, P. Maurel, E. Bigan, O. Acher, J. Nagle, F. Brillouet and J.C. Portal 776
Ga–Al–In–As ternary and quaternary alloys lattice matched to InP for electronic, optoelectronic and optical device applications, by LP-MOVPE
J.I. Davies, A.C. Marshall, M.D. Scott and R.J.M. Griffiths 782
The role of MOVPE in the manufacture of high performance InP based optoelectronic devices
A.W. Nelson, P.C. Spurdens, S. Cole, R.H. Walling, R.H. Moss, S. Wong, M.J. Harding, D.M. Cooper, W.J. Devlin and M.J. Robertson 792

Transverse junction buried heterostructure (TJ-BH) laser diode grown by MOVPE
K. Shimoyama, M. Katoh, M. Noguchi, Y. Inoue, H. Gotoh, Y. Suzuki and T. Satoh 803
$GaAs/Ga_{0.65}Al_{0.35}As$ DBR surface emitting lasers grown by OMVPE
A. Ibaraki, K. Kawashima, K. Furusawa, T. Ishikawa, T. Yamaguchi and T. Niina 809
Long-lived MOCVD-grown 780 nm SBA laser with reduced influence of regrowth interface
Y. Mihashi, Y. Nagai, Y. Ohta, T. Tanaka, K. Ikeda and W. Susaki 814
CODE: a novel MOVPE technique for the single stage growth of buried ridge double heterostructure lasers and waveguides
M.D. Scott, J.R. Riffat, I. Griffith, J.I. Davies and A.C. Marshall 820
Defect generation due to surface corrugation in InGaAsP/InP DFB laser structures grown by MOVPE on grating-formed InP substrates
K. Sato, M. Oishi, Y. Itaya, M. Nakao and Y. Imamura 825
Extremely low threshold InGaAsP/InP DFB laser by MOCVD/LPE hybrid process
N. Yoshida, T. Kimura, K. Mizuguchi, Y. Ohkura, T. Murotani and A. Kawagishi 832
Doping optimization in InGaAsP DH lasers and improved characteristics in BH lasers grown by MOVPE
T. Sasaki, H. Yamada, S. Takano, M. Kitamura, I. Mito, T. Suzuki and H. Hoshino 838
A self-aligned ridge substrate laser fabricated by single-step MOVPE
A. Yoshikawa, A. Yamamoto, M. Hirose, T. Sugino, G. Kano and I. Teramoto 843
Patterned quantum well heterostructures grown by OMCVD on non-planar substrates: applications to extremely narrow SQW lasers
R. Bhat, E. Kapon, D.M. Hwang, M.A. Koza and C.P. Yun 850
Improvements in resonance frequency and T_0 value by 1.5 μm InGaAs MQW lasers grown by MOVPE
S. Takano, T. Sasaki, H. Yamada, M. Kitamura, I. Mito and T. Suzuki 857
High quality InGaAsP–InP for multiple quantum well laser diodes grown by low-pressure OMVPE
P.J.A. Thijs, T. van Dongen, P.I. Kuindersma, J.J.M. Binsma, L.F. Tiemeyer, J.M. Lagemaat, D. Moroni and W. Nijman 863
MOCVD grown InP/InGaAs structures for optical receivers
E.J. Thrush, C.G. Cureton and A.T.R. Briggs 870
MOVPE grown MQW pin diodes for electro-optic modulators and photodiodes with enhanced electron ionisation coefficient
J.S. Roberts, M.A. Pate, P. Mistry, J.P.R. David, R.B. Franks, M. Whitehead and G. Parry 877
MOVPE studies for a monolithically integrated DH laser/HBT laser driver
P. Speier, U. Koerner, A. Nowitzki, F. Grotjahn, F.J. Tegude and K. Wünstel 885

SECTION XVII. HIGH FREQUENCY/HIGH SPEED DEVICES

MOCVD growth of selectively doped AlInAs/GaInAs heterostructures
Y. Mori and M. Kamada 892
Numerical analysis of heterointerface in AlGaAs/GaAs HEMT structure grown by MOVPE
K. Kasai and J. Komeno 900
Uniform and abrupt InGaP/GaAs selectively doped heterostructures grown by MOVPE for HEMT ICs
T. Ohori, M. Takechi, M. Suzuki, M. Takikawa and J. Komeno 905
OMVPE growth of AlInAs and device quality AlInAs-based heterostructures
L. Aina, M. Mattingly, A. Fathimulla, E.A. Martin, T. Loughran and L. Stecker 911
High gain InP/InGaAs heterojunction bipolar transistors grown by OMCVD
R. Bhat, J.R. Hayes, H. Schumacher, M.A. Koza, D.M. Hwang and M.H. Meynadier 919
InGaAsP/InP heterojunction bipolar transistor grown by MOVPE
Y. Ban, S. Kimura, M. Morisaki, M. Ogura and J. Shibata 924

LATE NEWS ABSTRACTS

High-T_c superconducting film growth by OMCVD
H. Abe, T. Nakamori, T. Kanamori and S. Shibata 929
MOCVD growth of CdTe and CdHgTe using a new cadmium source
L.M. Smith, J. Thompson, A.C. Jones, P.R. Jacobs and S.A. Rushworth 930
Reflectance–difference studies of organometallic chemical vapor deposition growth transients on (100) GaAs
E. Colas, D.E. Aspnes, R. Bhat, V.G. Keramidas, M.A. Koza and A.A. Studna 931
Chemical boundary layers in MOCVD: the return of the stagnant layer
M.H.J.M. de Croon and L.J. Giling 932

Direct observation of extended atomically flat islands at the heterointerfaces of OMVPE AlGaAs–GaAs single quantum wells
F.J. Stutzler, S. Fujieda, M. Mizuta and K. Ishida 934
First observation of stepped interfaces of GaAs–AlGaAs on tilted substrates by cathodoluminescence
K. Wada, A. Kozen, H. Fushimi and N. Inoue 935
Photoluminescence from high-flat-interface InAs/GaAs heterostructures grown by flow-rate modulation epitaxy
M. Sato and Y. Horikoshi 936
Characterization of a GaAs/HgCdTe interface forked by MOCVD
C.J. Rossouw, S.R. Glanvill, M.S. Kwietniak, G.N. Pain, T. Warminski and I.J. Wilson 937
Low pressure OMCVD growth of device quality GaAs on InP substrates for OEIC applications
R. Bhat, Y. Lo, C. Caneau, D.M. Hwang, C. Zah and M.A. Koza 939
Metalorganic vapor phase heteroepitaxial growth of (Al)GaAs on InP for device applications
P. Demeester, A. Ackaert, I. Moerman, R. Baets and P. Lagasse 940

Author index 942
Subject index 954